

# EUROSTAT®



**SAFETY FOOTWEAR**

# EUROSTAT®

*Logistic*

*Heavy Industry*

*Automotive*

*Aviation*

MEET EN ISO 20345:2011 & 2022 , SNI 7079-2009, SIRIM MS ISO 20345:2008 and CNS 20345 (2015) STANDARDS

- PU, PU/PU, PU/NBR, NBR, EVA/NBR OUTSOLE
- Steel Toe Cap or Composite Toe Cap (200J Impact & 15KN Compression)
- Steel Midplate or Composite Midplate (1100N Penetration)
- Oil & Acid/Alkaline Resistant

SB: Safety Basic (Toe Cap, Non-ESD Safe)  
SBP: Toe Cap + Midplate (Anti-Puncturing)  
S1: Toe Cap + ESD Safe  
S1P: Toe Cap + ESD Safe + Midplate (Anti-Puncturing)  
S2: Toe Cap + ESD Safe + Water Resistant  
S3: Toe Cap + ESD Safe + Midplate (Anti-Puncturing) + Water Resistant  
ESD: RTG < 35M ohms  
e9: RTG < 1E9 ohms

**Size: EUR 36 - 47**



# ESD Safe Series



HS635C



PU/PU-SIPLSRFO,  
Composite / Composite  
EN ISO 20345:2022



SH-09P-MW



PU, SI SRC,  
Steel



SH-13P-BK



PU, SI SRC,  
Steel



# ESD Safe Series



BLACK



NAVY BLUE



WHITE

HS-354C

PU/PU, S1 SRC, Composite  
EN ISO 20345:2022





# ESD Safe Series



HS-015



PU/PU, S3 SRC,  
Composite / Composite



HS-354C-NBR



NBR, S1 SRC,  
Composite



# ESD Safe Series



HS431C-GREY

HS431C-BLUE



EVA/NBR, SIP SRC HRO,  
Composite / Composite

EVA/NBR, SIP SRC HRO,  
Composite / Composite



HS778C



EVA/NBR, SIPLSRFOHRO,  
Composite / Composite  
EN ISO 20345:2022





HS611CC-WHITE



PU/NBR, SI PLSRFOHRO,  
Composite / Composite



HS611CC-NAVY BLUE



PU/NBR, SI PLSRFOHRO,  
Composite / Composite



HS611CC-BLACK



PU/NBR, SI PLSRFOHRO,  
Composite / Composite



HS433



EVA/NBR, S3 SRC HRO,  
Steel / Composite



HS138



EVA/NBR, S3 SRC HRO,  
Steel / Composite



HS627



PU/PU, S3SRFOLG  
Steel / Steel  
EN ISO 20345:2022





HS618C S2



PU/PU, S2SRFO  
Composite  
EN ISO 20345:2022



HS618 S3



PU/PU, S3SRFO  
Steel / Steel  
EN ISO 20345:2022



HS-1102



PU/PU, S3 SRC,  
Steel / Steel



SK-001



PU, S1P SRC,  
Steel / Steel



HS-3101A



PU/PU, S3 SRC,  
Steel / Steel



HS-003



PU/PU, S3 SRC,  
Steel / Steel



# Safety Basic (SB) and Midplate Series (SBP)

HS-452



PU, SB SRC,  
Steel



HS-013E-NBR



NBR, SBP SRC,  
Steel / Composite



ESD safe PU INSOLE

DY6008-GY-AG



PU-INSOLE-SD-35M  
(ANTI-ODOUR)

DY6008-EUROSTAT



PU INSOLE



# EUROSTAT®



## DIRECT INJECTION MOULDING

Constructed with high quality PU or Rubber Outsole, High Temperature Heat Resistant Property of up to 300°C, Ideal for firefighting personnel, Lightweight, Comfortable and Highly Flexible.

PU | PU/PU | PU/NBR | NBR | EVA/NBR

CE MEET EN ISO 20345:2011 & 2022 STANDARDS

SNI SNI 7079-2009 STANDARD

MS SIRIM MS ISO 20345:2008 STANDARD

CNS CNS 20345 (2015) STANDARD

**DOU YEE**  
ENTERPRISES

### HEAD OFFICE

2304 Bedok Reservoir Road,  
#05-00 Dou Yee Building,  
Singapore 479223

Tel: (65) 6444 2678

Website: [www.douyee.com](http://www.douyee.com)

Email: [s2\\_marketing@douyee.com.sg](mailto:s2_marketing@douyee.com.sg)



[www.safetyshoes-handtools-thailand.com](http://www.safetyshoes-handtools-thailand.com)



[www.safetyshoes-handtools.com](http://www.safetyshoes-handtools.com)